



Enable Pop-Ups and Cookies in Google Chrome


Enable Pop-Ups in Google Chrome



1. Click on the lock icon in the address bar



2. Click on 'Site settings'



- 3. Scroll down to 'Pop-ups and redirects' and change the setting to ALLOW
- 4. Refresh the DOT website

Enable Cookies in Google Chrome

Username:

Password:

Submit

[Forgot Password](#)


Not Yet Registered?

REGISTER


[How to Register Your Account and Log In](#)

For **Federal Government Programs** please bookmark
www.ddfptoolkits.com

This guide is for any users who are getting redirected back to the login page each time they attempt to log in



1. Navigate to <https://www.dentalofficetoolkit.com/> in Google Chrome
2. Click on the red icon in the address bar



3. Ensure that 'Always allow <https://www.dentalofficetoolkit.com> to set cookies' is ENABLED by clicking the radio button
4. Click 'Manage'

The image shows the Chrome browser's 'Settings - Cookies' page. The left sidebar contains various settings categories: People, Autofill, Appearance, Search engine, Default browser, On startup, Advanced, Privacy and security, Languages, Downloads, Printing, Accessibility, System, Reset and clean up, Extensions, and About Chrome. The main content area is titled 'Cookies' and features a search bar at the top. Two specific settings are highlighted with red boxes and arrows pointing to explanatory text:

- The first setting, 'Allow sites to save and read cookie data (recommended)', has a toggle switch moved to the right. A red box around it is linked to the text: 'If the toggle button is to the right, it has been enabled'.
- The second setting, 'Block third-party cookies' (with the subtext 'Prevent third-party websites from saving and reading cookie data'), has a toggle switch moved to the left. A red box around it is linked to the text: 'If the toggle button is to the left, it has been disabled'.

Below these settings, there are sections for 'See all cookies and site data', 'Block' (with an 'Add' button and a list item for 'https://[*].www.dentalofficetoolkit.com:443'), 'Clear on exit' (with an 'Add' button and 'No sites added'), and 'Allow' (with an 'Add' button and a list item for 'https://[*].accounts.google.com:443').

5. Ensure that the first option, 'Allow sites to save and read cookie data' is ENABLED
6. Ensure that the third option, 'Block third-party cookies' is DISABLED

Close out of Google Chrome and re-open it. Navigate back to <https://www.dentalofficetoolkit.com/>